



Swing

L'ombrellone che si muove in perfetta armonia

Design e semplicità di funzionamento si combinano in un ombrellone a braccio laterale retrattile davvero unico. Veloce e facile nell'apertura e nell'inclinazione grazie alla perfetta bilanciatura dei pesi, Swing si apre e si mette in tensione per mezzo di una carrucola nautica con sistema di bloccaggio rapido. Un pratico sistema basculante permette inoltre di regolare l'inclinazione dell'ombrellone a seconda del sole, o per evitare gli ingombri sottostanti.

The parasol that moves in perfect harmony

Design and operation simplicity are combined in a truly unique parasol with retractable side arm. Quick and easy to open and incline thanks to the perfect weight balancing, Swing opens up and is tensioned by means of a nautical pulley featuring quick locking system. A practical tilting system also allows adjusting the inclination of the parasol according to the sun, or to avoid objects below.



SWING







DI SERIE

-  Palo laterale
Lateral pole
-  Retraibile
Retractable
-  Telaio in lega di alluminio 6005 ad alta tenacità / High-tenacity 6005 aluminum alloy
-  Cuciture impermeabili protette -WATER SAFE Protected waterproof seams - WATER SAFE
-  Bulloneria Acciaio Inox
Stainless Steel Bolts
-  Sistema sgancio rapido delle stecche (EASY CLICK) Quick ribs uncoupling system (EASY CLICK)
-  Fodero di custodia Premium in PVC
Premium PVC storage case
-  Snodi in Nylon
Nylon joints
-  Camino morbido
Soft bellow
-  Con o senza balza perimetrale / With or without perimetrical flounce
-  Collano in nylon, inox
Collar in nylon, stainless steel
-  Apertura con carrucola nautica inox- carbonio e sistema di bloccaggio (EASY BLOCK) Opening with stainless steel-carbon pulley and locking system (EASY BLOCK)

BASI

-  Da appoggio
Support base
-  Per fissaggio
To be fixed
-  Da interrare
To be buried

ACCESSORI

-  LED
LED System
-  Riscaldatori
Heaters
-  Pareti laterali
Side walls
-  Grondaie
Gutters
-  Applicazione logo
Logo application



250 x 250	300 x 300	350 x 350	400 x 400
300 x 200	300 x 250	350 x 250	350 x 300
400 x 250	400 x 300	450 x 250	450 x 300
500 x 250*	600 x 300*	700 x 350*	500 x 500**
600 x 600**	700 x 700**		

*doppio **quadruplo